



Central Office  
50 West Town Street, Suite 700  
Columbus, Ohio 43215  
(614) 644-2752 FAX (614) 644-2909

Submission ID: 1450925

## CHEMICAL

### SAMPLE SUBMISSION REPORT (SSR)

#### PUBLIC WATER SYSTEM INFORMATION:

PWS ID Number: [OH4700511](#)

PWS Name: [GRAFTON VILLAGE PWS](#)

Facility ID: [DS1](#)

Facility Name: [GRAFTON, VILLAGE OF DISTRIBUTION](#)

#### SAMPLE INFORMATION:

Sample Monitoring Point [LC225](#)

Sample Type:

☒ -- Routine (compliance)

☐ -- Special (not for compliance)

Lead/Copper Location Type: [First Draw](#)

Sample Collection Date: [08/13/2025](#)

Sample Collection Time: [06:20:00](#)

Lab Receipt Date: [08/18/2025](#)

Collection Address: [LC225](#)

Sample Accepted/Rejected: [Accepted](#)

Sample Rejection Reason:

#### LABORATORY INFORMATION:

Reporting Lab Name: [AVON LAKE WTP LABORATORY](#)

Reporting Lab Certification No: [40](#)

Lab Sample Number: [20250511769](#)

#### Sample Result:

Analyte	Analyte Code	Method Code	Results Sign	Results Value	Results Units	Reject	Analytical Lab ID#	Analyst #	Analysis Date	QC Date
COPPER, FREE	1022	200.8		68.56	UG/L		40	6962	08/19/2025	08/19/2025
LEAD	1030	200.8	MRL	< 1.0	UG/L		40	6962	08/19/2025	08/19/2025



Central Office  
50 West Town Street, Suite 700  
Columbus, Ohio 43215  
(614) 644-2752 FAX (614) 644-2909

Submission ID: 1450925

## CHEMICAL

### SAMPLE SUBMISSION REPORT (SSR)

#### PUBLIC WATER SYSTEM INFORMATION:

PWS ID Number: [OH4700511](#)

PWS Name: [GRAFTON VILLAGE PWS](#)

Facility ID: [DS1](#)

Facility Name: [GRAFTON, VILLAGE OF DISTRIBUTION](#)

#### SAMPLE INFORMATION:

Sample Monitoring Point [LC211](#)

Sample Type:

☒ -- Routine (compliance)

☐ -- Special (not for compliance)

Lead/Copper Location Type: [First Draw](#)

Sample Collection Date: [08/14/2025](#)

Sample Collection Time: [05:00:00](#)

Lab Receipt Date: [08/18/2025](#)

Collection Address: [LC211](#)

Sample Accepted/Rejected: [Accepted](#)

Sample Rejection Reason:

#### LABORATORY INFORMATION:

Reporting Lab Name: [AVON LAKE WTP LABORATORY](#)

Reporting Lab Certification No: [40](#)

Lab Sample Number: [20250511419](#)

#### Sample Result:

Analyte	Analyte Code	Method Code	Results Sign	Results Value	Results Units	Reject	Analytical Lab ID#	Analyst #	Analysis Date	QC Date
COPPER, FREE	1022	200.8		19.97	UG/L		40	6962	08/19/2025	08/19/2025
LEAD	1030	200.8	MRL	< 1.0	UG/L		40	6962	08/19/2025	08/19/2025



Central Office  
50 West Town Street, Suite 700  
Columbus, Ohio 43215  
(614) 644-2752 FAX (614) 644-2909

Submission ID: 1450925

## CHEMICAL

### SAMPLE SUBMISSION REPORT (SSR)

#### PUBLIC WATER SYSTEM INFORMATION:

PWS ID Number: [OH4700511](#)

PWS Name: [GRAFTON VILLAGE PWS](#)

Facility ID: [DS1](#)

Facility Name: [GRAFTON, VILLAGE OF DISTRIBUTION](#)

#### SAMPLE INFORMATION:

Sample Monitoring Point [LC202](#)

Sample Type:

☒ -- Routine (compliance)

☐ -- Special (not for compliance)

Lead/Copper Location Type: [First Draw](#)

Sample Collection Date: [08/13/2025](#)

Sample Collection Time: [03:00:00](#)

Lab Receipt Date: [08/18/2025](#)

Collection Address: [LC202](#)

Sample Accepted/Rejected: [Accepted](#)

Sample Rejection Reason:

#### LABORATORY INFORMATION:

Reporting Lab Name: [AVON LAKE WTP LABORATORY](#)

Reporting Lab Certification No: [40](#)

Lab Sample Number: [20250511214](#)

#### Sample Result:

Analyte	Analyte Code	Method Code	Results Sign	Results Value	Results Units	Reject	Analytical Lab ID#	Analyst #	Analysis Date	QC Date
COPPER, FREE	1022	200.8		4.51	UG/L		40	6962	08/19/2025	08/19/2025
LEAD	1030	200.8	MRL	< 1.0	UG/L		40	6962	08/19/2025	08/19/2025



Central Office  
50 West Town Street, Suite 700  
Columbus, Ohio 43215  
(614) 644-2752 FAX (614) 644-2909

Submission ID: 1450925

## CHEMICAL

### SAMPLE SUBMISSION REPORT (SSR)

#### PUBLIC WATER SYSTEM INFORMATION:

PWS ID Number: [OH4700511](#)

PWS Name: [GRAFTON VILLAGE PWS](#)

Facility ID: [DS1](#)

Facility Name: [GRAFTON, VILLAGE OF DISTRIBUTION](#)

#### SAMPLE INFORMATION:

Sample Monitoring Point [LC208](#)

Sample Type:

☒ -- Routine (compliance)

☐ -- Special (not for compliance)

Lead/Copper Location Type: [First Draw](#)

Sample Collection Date: [08/13/2025](#)

Sample Collection Time: [06:40:00](#)

Lab Receipt Date: [08/18/2025](#)

Collection Address: [LC208](#)

Sample Accepted/Rejected: [Accepted](#)

Sample Rejection Reason:

#### LABORATORY INFORMATION:

Reporting Lab Name: [AVON LAKE WTP LABORATORY](#)

Reporting Lab Certification No: [40](#)

Lab Sample Number: [20250511718](#)

#### Sample Result:

Analyte	Analyte Code	Method Code	Results Sign	Results Value	Results Units	Reject	Analytical Lab ID#	Analyst #	Analysis Date	QC Date
COPPER, FREE	1022	200.8		49.29	UG/L		40	6962	08/19/2025	08/19/2025
LEAD	1030	200.8		1.48	UG/L		40	6962	08/19/2025	08/19/2025



Central Office  
50 West Town Street, Suite 700  
Columbus, Ohio 43215  
(614) 644-2752 FAX (614) 644-2909

Submission ID: 1450925

## CHEMICAL

### SAMPLE SUBMISSION REPORT (SSR)

#### PUBLIC WATER SYSTEM INFORMATION:

PWS ID Number: [OH4700511](#)

PWS Name: [GRAFTON VILLAGE PWS](#)

Facility ID: [DS1](#)

Facility Name: [GRAFTON, VILLAGE OF DISTRIBUTION](#)

#### SAMPLE INFORMATION:

Sample Monitoring Point [LC203](#)

Sample Type:

☒ -- Routine (compliance)

☐ -- Special (not for compliance)

Lead/Copper Location Type: [First Draw](#)

Sample Collection Date: [08/12/2025](#)

Sample Collection Time: [20:30:00](#)

Lab Receipt Date: [08/18/2025](#)

Collection Address: [LC203](#)

Sample Accepted/Rejected: [Accepted](#)

Sample Rejection Reason:

#### LABORATORY INFORMATION:

Reporting Lab Name: [AVON LAKE WTP LABORATORY](#)

Reporting Lab Certification No: [40](#)

Lab Sample Number: [20250511242](#)

#### Sample Result:

Analyte	Analyte Code	Method Code	Results Sign	Results Value	Results Units	Reject	Analytical Lab ID#	Analyst #	Analysis Date	QC Date
COPPER, FREE	1022	200.8		19.05	UG/L		40	6962	08/19/2025	08/19/2025
LEAD	1030	200.8	MRL	< 1.0	UG/L		40	6962	08/19/2025	08/19/2025



Central Office  
50 West Town Street, Suite 700  
Columbus, Ohio 43215  
(614) 644-2752 FAX (614) 644-2909

Submission ID: 1450925

## CHEMICAL

### SAMPLE SUBMISSION REPORT (SSR)

#### PUBLIC WATER SYSTEM INFORMATION:

PWS ID Number: [OH4700511](#)

PWS Name: [GRAFTON VILLAGE PWS](#)

Facility ID: [DS1](#)

Facility Name: [GRAFTON, VILLAGE OF DISTRIBUTION](#)

#### SAMPLE INFORMATION:

Sample Monitoring Point [LC216](#)

Sample Type:

☒ -- Routine (compliance)

☐ -- Special (not for compliance)

Lead/Copper Location Type: [First Draw](#)

Sample Collection Date: [08/13/2025](#)

Sample Collection Time: [06:00:00](#)

Lab Receipt Date: [08/18/2025](#)

Collection Address: [LC216](#)

Sample Accepted/Rejected: [Accepted](#)

Sample Rejection Reason:

#### LABORATORY INFORMATION:

Reporting Lab Name: [AVON LAKE WTP LABORATORY](#)

Reporting Lab Certification No: [40](#)

Lab Sample Number: [20250511309](#)

#### Sample Result:

Analyte	Analyte Code	Method Code	Results Sign	Results Value	Results Units	Reject	Analytical Lab ID#	Analyst #	Analysis Date	QC Date
COPPER, FREE	1022	200.8		12.02	UG/L		40	6962	08/19/2025	08/19/2025
LEAD	1030	200.8	MRL	< 1.0	UG/L		40	6962	08/19/2025	08/19/2025



Central Office  
50 West Town Street, Suite 700  
Columbus, Ohio 43215  
(614) 644-2752 FAX (614) 644-2909

Submission ID: 1450925

## CHEMICAL

### SAMPLE SUBMISSION REPORT (SSR)

#### PUBLIC WATER SYSTEM INFORMATION:

PWS ID Number: [OH4700511](#)

PWS Name: [GRAFTON VILLAGE PWS](#)

Facility ID: [DS1](#)

Facility Name: [GRAFTON, VILLAGE OF DISTRIBUTION](#)

#### SAMPLE INFORMATION:

Sample Monitoring Point [LC224](#)

Sample Type:

☒ -- Routine (compliance)

☐ -- Special (not for compliance)

Lead/Copper Location Type: [First Draw](#)

Sample Collection Date: [08/13/2025](#)

Sample Collection Time: [08:20:00](#)

Lab Receipt Date: [08/18/2025](#)

Collection Address: [LC224](#)

Sample Accepted/Rejected: [Accepted](#)

Sample Rejection Reason:

#### LABORATORY INFORMATION:

Reporting Lab Name: [AVON LAKE WTP LABORATORY](#)

Reporting Lab Certification No: [40](#)

Lab Sample Number: [20250511726](#)

#### Sample Result:

Analyte	Analyte Code	Method Code	Results Sign	Results Value	Results Units	Reject	Analytical Lab ID#	Analyst #	Analysis Date	QC Date
COPPER, FREE	1022	200.8		17.61	UG/L		40	6962	08/19/2025	08/19/2025
LEAD	1030	200.8	MRL	< 1.0	UG/L		40	6962	08/19/2025	08/19/2025



Central Office  
50 West Town Street, Suite 700  
Columbus, Ohio 43215  
(614) 644-2752 FAX (614) 644-2909

Submission ID: 1450925

## CHEMICAL

### SAMPLE SUBMISSION REPORT (SSR)

#### PUBLIC WATER SYSTEM INFORMATION:

PWS ID Number: [OH4700511](#)

PWS Name: [GRAFTON VILLAGE PWS](#)

Facility ID: [DS1](#)

Facility Name: [GRAFTON, VILLAGE OF DISTRIBUTION](#)

#### SAMPLE INFORMATION:

Sample Monitoring Point [LC205](#)

Sample Type:

☒ -- Routine (compliance)

☐ -- Special (not for compliance)

Lead/Copper Location Type: [First Draw](#)

Sample Collection Date: [08/13/2025](#)

Sample Collection Time: [08:12:00](#)

Lab Receipt Date: [08/18/2025](#)

Collection Address: [LC205](#)

Sample Accepted/Rejected: [Accepted](#)

Sample Rejection Reason:

#### LABORATORY INFORMATION:

Reporting Lab Name: [AVON LAKE WTP LABORATORY](#)

Reporting Lab Certification No: [40](#)

Lab Sample Number: [20250511081](#)

#### Sample Result:

Analyte	Analyte Code	Method Code	Results Sign	Results Value	Results Units	Reject	Analytical Lab ID#	Analyst #	Analysis Date	QC Date
COPPER, FREE	1022	200.8		22.97	UG/L		40	6962	08/19/2025	08/19/2025
LEAD	1030	200.8	MRL	< 1.0	UG/L		40	6962	08/19/2025	08/19/2025





Central Office  
50 West Town Street, Suite 700  
Columbus, Ohio 43215  
(614) 644-2752 FAX (614) 644-2909

Submission ID: 1450925

## CHEMICAL

### SAMPLE SUBMISSION REPORT (SSR)

#### PUBLIC WATER SYSTEM INFORMATION:

PWS ID Number: [OH4700511](#)

PWS Name: [GRAFTON VILLAGE PWS](#)

Facility ID: [DS1](#)

Facility Name: [GRAFTON, VILLAGE OF DISTRIBUTION](#)

#### SAMPLE INFORMATION:

Sample Monitoring Point [LC209](#)

Sample Type:

☒ -- Routine (compliance)

☐ -- Special (not for compliance)

Lead/Copper Location Type: [First Draw](#)

Sample Collection Date: [08/13/2025](#)

Sample Collection Time: [07:15:00](#)

Lab Receipt Date: [08/18/2025](#)

Collection Address: [LC209](#)

Sample Accepted/Rejected: [Accepted](#)

Sample Rejection Reason:

#### LABORATORY INFORMATION:

Reporting Lab Name: [AVON LAKE WTP LABORATORY](#)

Reporting Lab Certification No: [40](#)

Lab Sample Number: [20250511702](#)

#### Sample Result:

Analyte	Analyte Code	Method Code	Results Sign	Results Value	Results Units	Reject	Analytical Lab ID#	Analyst #	Analysis Date	QC Date
COPPER, FREE	1022	200.8		182.72	UG/L		40	6962	08/19/2025	08/19/2025
LEAD	1030	200.8		1.38	UG/L		40	6962	08/19/2025	08/19/2025



Central Office  
50 West Town Street, Suite 700  
Columbus, Ohio 43215  
(614) 644-2752 FAX (614) 644-2909

Submission ID: 1450925

## CHEMICAL

### SAMPLE SUBMISSION REPORT (SSR)

#### PUBLIC WATER SYSTEM INFORMATION:

PWS ID Number: [OH4700511](#)

PWS Name: [GRAFTON VILLAGE PWS](#)

Facility ID: [DS1](#)

Facility Name: [GRAFTON, VILLAGE OF DISTRIBUTION](#)

#### SAMPLE INFORMATION:

Sample Monitoring Point [LC220](#)

Sample Type:

☒ -- Routine (compliance)

☐ -- Special (not for compliance)

Lead/Copper Location Type: [First Draw](#)

Sample Collection Date: [08/13/2025](#)

Sample Collection Time: [06:30:00](#)

Lab Receipt Date: [08/18/2025](#)

Collection Address: [LC220](#)

Sample Accepted/Rejected: [Accepted](#)

Sample Rejection Reason:

#### LABORATORY INFORMATION:

Reporting Lab Name: [AVON LAKE WTP LABORATORY](#)

Reporting Lab Certification No: [40](#)

Lab Sample Number: [20250511104](#)

#### Sample Result:

Analyte	Analyte Code	Method Code	Results Sign	Results Value	Results Units	Reject	Analytical Lab ID#	Analyst #	Analysis Date	QC Date
COPPER, FREE	1022	200.8		57.43	UG/L		40	6962	08/19/2025	08/19/2025
LEAD	1030	200.8		5.64	UG/L		40	6962	08/19/2025	08/19/2025